Feeding and Eating Disorders

October 2017 ICD-10-CM coding changes for Avoidant/Restrictive Food Intake Disorder

Codes are found on the following pages: DSM-5: pp. xxi, 334, 842, 889; Desk Reference: pp. xxi, 170

DSM-5 Classification, Feeding and Eating Disorders, Avoidant/Restrictive Food Intake Disorder, p. xxi (Desk Reference, p. xxi):

• Change F50.89 to **F50.82**

Substance-Related and Addictive Disorders

October 2017 ICD-10-CM codes for Alcohol Use Disorder Course Specifiers

Codes are found on the following pages: DSM-5: pp. xxv, 491, 840, 878; Desk Reference: pp. xxvi, 234

DSM-5 Classification, Substance-Related and Addictive Disorders, Substance Use Disorders, Alcohol-Related Disorders, Alcohol Use Disorder, p. xxv (Desk Reference, p. xxvi):

____.__ (____.__) Alcohol Use Disorder (490)

Specify current severity/remission:

F10.10 Mild Mild, In early remission
F10.11 Mild, In sustained remission

F10.20 Moderate

F10.21 Moderate, In early remission
F10.21 Moderate, In sustained remission

F10.20 Severe

F10.21 Severe, In early remission

F10.21 Severe, In sustained remission

October 2017 ICD-10-CM codes for Cannabis Use Disorder Course Specifiers

Codes are found on the following pages: DSM-5: pp. xxv, 510, 844, 880; Desk Reference: pp. xxvii, 241

DSM-5 Classification, Substance-Related and Addictive Disorders, Substance Use Disorders, Cannabis-Related Disorders, Cannabis Use Disorder, p. xxv (Desk Reference, p. xxvii):

____.__ (____.__) Cannabis Use Disorder, a,b (509)

Specify current severity/remission:

F12.10 Mild

F12.11 Mild, In early remission

F12.11 Mild, In sustained remission

F12.20 Moderate

F12.21 Moderate, In early remission

F12.21 Moderate, In sustained remission

F12.20 Severe

F12.21 Severe, In early remission

F12.21 Severe, In sustained remission

NEW ICD-10-CM codes for Phencyclidine Use Disorder Course Specifiers

Codes are found on the following pages: DSM-5: pp. xxvi, 521, 857, 884; Desk Reference: pp. xxvii, 246

DSM-5 Classification, Substance-Related and Addictive Disorders, Substance Use Disorders,

Hallucinogen-Related Disorders, Phencyclidine Use Disorder, p. xxvi (Desk Reference, p. xxvii):

___.__ (___.__) Phencyclidine Use Disorder^b (520)

Specify current severity/remission:

F1	6.1	0	Milc

F16.11 Mild, In early remission

F16.11 Mild, In sustained remission

F16.20 Moderate

F16.21 Moderate, In early remission

F16.21 Moderate, In sustained remission

F16.20 Severe

F16.21 Severe, In early remission

F16.21 Severe, In sustained remission

NEW ICD-10-CM codes for Other Hallucinogen Use Disorder Course Specifiers

Codes are found on the following pages: DSM-5: pp. xxvi, 524, 854, 884; Desk Reference: pp. xxviii, 248

DSM-5 Classification, Substance-Related and Addictive Disorders, Substance Use Disorders, Hallucinogen-Related Disorders, Other Hallucinogen Use Disorder, p. xxvi (Desk Reference, p. xxviii):

Other Hallucinogen Use Disorder ^b (523)
Specify the particular hallucinogen
Specify current severity/remission:

F16.10 Mild

F16.11 Mild, In early remission

F16.11 Mild, In sustained remission

F16.20 Moderate

F16.21 Moderate, In early remission

F16.21 Moderate, In sustained remission

F16.20 Severe

F16.21 Severe, In early remission

F16.21 Severe, In sustained remission

NEW ICD-10-CM codes for Inhalant Use Disorder Course Specifiers

Codes are found on the following pages: DSM-5: pp. xxvi, 534, 848, 885; Desk Reference: pp. xxviii, 254

DSM-5 Classification, Substance-Related and Addictive Disorders, Substance Use Disorders, Inhalant-Related Disorders, Inhalant Use Disorder, p. xxvi (Desk Reference, p. xxviii):

(()	Inhalant	Use	Disorder, a,b	(533)	

Specify the particular inhalant Specify current severity/remission:

F18.10 Mild

F18.11 Mild, In early remission

DSM-5 Classification Updates 2017: Excerpts of Affected Text in Tracked Changes F18.11 Mild. In sustained remission

F18.11	Mild, In sustained remission
F18.20	Moderate
F18.21	Moderate, In early remission
F18.21	Moderate, In sustained remission
F18.20	Severe
F18.21	Severe, In early remission
F18.21	Severe, In sustained remission

NEW ICD-10-CM codes for Opioid Use Disorder Course Specifiers

Codes are found on the following pages: DSM-5: pp. xxvii, 542, 851, 879; Desk Reference: pp. xxix, 258

F11.20 Severe

F11.21

F13.20

F11.21 Severe, In early remission

F11.21 Severe, In sustained remission

NEW ICD-10-CM codes for Sedative, Hypnotic, or Anxiolytic Use Disorder Course Specifiers

Moderate, In sustained remission

Codes are found on the following pages: DSM-5: pp. xxvii, 552, 859, 881; Desk Reference: pp. xxix, 264

DSM-5 Classification, Substance-Related and Addictive Disorders, Substance Use Disorders, Sedative-, Hypnotic-, or Anxiolytic-Related Disorders, Sedative, Hypnotic, or Anxiolytic Use Disorder, p. xxvii (Desk Reference, p. xxix):

____.__ (____.__) Sedative, Hypnotic, or Anxiolytic Use Disorder (550)

Specify current severity/remission:

F13.10 Mild F13.11 Mild, In early remission
F13.11 Mild, In sustained remission
F13.20 Moderate
F13.21 Moderate, In early remission
F13.21 Moderate, In sustained remission

F13.21 Severe, In early remission
F13.21 Severe, In sustained remission

Severe

NEW ICD-10-CM codes for Stimulant Use Disorder Course Specifiers

Codes are found on the following pages: DSM-5: pp. xxviii, 562, 842, 882; Desk Reference: pp. xxx, 269

DSM-5 Classification, Substance-Related and Addictive Disorders, Substance Use Disorders, Stimulant-Related Disorders, Stimulant Use Disorder, p. xxviii (Desk Reference, p. xxx):

()	Stimulant Use Disorder, (561) Specify current severity/remission:
(Mild
F15.10	Amphetamine-type substance
F14.10	Cocaine
F15.10	Other or unspecified stimulant
	Mild, In early remission
F15.11	Amphetamine-type substance
F14.11	Cocaine
F15.11	Other or unspecified stimulant
	Mild, In sustained remission
F15.11	Amphetamine-type substance
<u>F14.11</u>	Cocaine
<u>F15.11</u>	Other or unspecified stimulant
(
() F15.20	Moderate
F15.20 F14.20	Amphetamine-type substance
	Cocaine
F15.20	Other or unspecified stimulant
F15.21	Moderate, In early remission Amphetamine-type substance
F13.21 F14.21	Cocaine
F15.21	Other or unspecified stimulant
1 10.21	Moderate, In sustained remission
F15.21	Amphetamine-type substance
F14.21	Cocaine
F15.21	Other or unspecified stimulant
	
() F15.20	Severe
	Amphetamine-type substance
F14.20	Cocaine
F15.20	Other or unspecified stimulant
	Severe, In early remission
F15.21	Amphetamine-type substance
F14.21	<u>Cocaine</u>
F15.21	Other or unspecified stimulant
	Severe, In sustained remission
F15.21	Amphetamine-type substance
F14.21	<u>Cocaine</u>
F15.21	Other or unspecified stimulant

NEW ICD-10-CM codes for Tobacco Use Disorder Course Specifiers

Codes are found on the following pages: DSM-5: pp. xxix, 572, 861, 885; Desk Reference: pp. xxxi, 276

F17.200 Severe

F19.21

F17.201 Severe, In early remission

F17.201 Severe, In sustained remission

NEW ICD-10-CM codes for Other (or Unknown) Substance Use Disorder Course Specifiers

Codes are found on the following pages: DSM-5: pp. xxix, 578, 856, 886; Desk Reference: pp. xxxii, 279

DSM-5 Classification, Substance-Related and Addictive Disorders, Substance Use Disorders, Other (or Unknown) Substance-Related Disorders, Other (or Unknown) Substance Use Disorder, p. xxix (Desk Reference, p. xxxii):

____._ (____) Other (or Unknown) Substance Use Disorder (577)

Specify current severity/remission:

Severe, In sustained remission

	opecity current seventy/remission.
F19.10	<u>Mild</u>
F19.11	Mild, In early remission
F19.11	Mild, In sustained remission
F19.20	Moderate
F19.21	Moderate, In early remission
F19.21	Moderate, In sustained remission
F19.20	Severe
F19.21	Severe, In early remission